모유수유 계획과 지속기간

Supplementary Table 2. Participants' BF Characteristics and Information Source

(N = 389)

Variables	Categories	Number (%)	Mean (SD)
BF characteristics			
BF at hospital	Present	359 (92.3)	_
	Absent	30 (7.7)	_
Early latching-on	Present	185 (47.6)	-
	Absent	204 (52.4)	_
Rooming-in	Present	73 (18.8)	
	Absent	316 (81.2)	-
Experience of BF	Present	161 (41.4)	-
	Absent	228 (58.6)	-
Plan of BF	Present	332 (85.3)	-
	Absent	57 (14.7)	-
Antenatal BF education	Attend	205 (52.7)	-
	Not attend	184 (47.3)	-
Postpartum BF education	Attend	213 (54.8)	-
	Not attend	176 (45.2)	-
BF difficulties	Present	366 (94.1)	-
	Absent	23 (5.9)	-
BF information source			
BF information in hospitals	Present	285 (73.3)	-
	Absent	104 (26.7)	-
Provider of BF information in hospitals	Nursery nurse	239 (83.9)	-
	Women health nurse	22 (7.7)	-
	Doctor	8 (2.8)	-
	Other	16 (5.6)	-
Satisfaction on the BF information in hospitals <sup>†</sup>		-	64.6 (20.3)
Use of Internet	All day	176 (45.2)	-
	3∼4 times a day	118 (30.3)	-
	1~2 times a day or less	95 (24.4)	-
Website most frequently visited for BF information	Online BF community	200 (51.4)	-
	Sites operated by clinicians	96 (24.7)	-
	Web portal	93 (23.9)	-
Website most frequently visited within a month	Online BF community	195 (50.1)	-
	Sites operated by clinicians	109 (28.0)	-
	Web portal	85 (21.9)	_

BF = Breastfeeding; SD = Standard deviation.

 $<sup>^{\</sup>dagger}$ Range = 0~100.