

Supplementary Table 1. Detail Characteristics of Smoking Prevention and Cessation according to an Organizational Type in D District

Characteristics	Survey items	Health welfare organization ^a	Healthcare facility ^b	Pharmacy ^c	F/ χ^2 (ρ) [†]
		(n = 15)	(n = 56)	(n = 59)	
		M \pm SD or n (%)	M \pm SD or n (%)	M \pm SD or n (%)	
Anti-smoking climate (Range 1~4)	Tend not to allow smoking at internal meetings	3.47 \pm 0.92	3.66 \pm 0.67	3.93 \pm 0.25	5.70 (.004) c < a
	Tend to be wary of colleagues' smoking behaviors	2.47 \pm 0.99	3.54 \pm 0.60	3.58 \pm 0.65	17.29 (< .001) a < b, a < c
	Have a no-smoking atmosphere	3.40 \pm 0.83	3.71 \pm 0.49	3.86 \pm 0.35	5.68 (.004) a < b, a < c
	Tend to believe that no-smoking is important for activities with other organizations	3.47 \pm 0.64	3.71 \pm 0.46	3.95 \pm 0.22	10.74 (< .001) a < b < c
Smoke-free environment (Yes or No)	Have a penalty for smokers	-	17 (30.4)	9 (15.3)	8.34 ^{††} (.016)
	Not allow smoking inside the building	13 (86.7)	56 (100.0)	57 (96.6)	7.09 ^{††} (.029)
	Post a no-smoking poster	13 (86.7)	24 (42.9)	18 (30.5)	15.46 ^{††} (< .001)
	Participate in no-smoking campaign	8 (53.3)	40 (71.4)	37 (62.7)	2.05 ^{††} (.358)
Awareness of smoking cessation programs of a community health center (range 0~2)	Smoking cessation clinic	1.60 \pm 0.51	1.52 \pm 0.57	1.56 \pm 0.57	0.16 (.856)
	Smoking cessation outreach	0.93 \pm 0.70	1.09 \pm 0.77	1.08 \pm 0.75	0.28 (.759)
	Education for smoking cessation	1.00 \pm 0.76	1.32 \pm 0.72	1.36 \pm 0.61	1.72 (.184)
	No-smoking campaigns	1.13 \pm 0.64	1.39 \pm 0.62	1.39 \pm 0.62	1.14 (.323)
	Designation and management of no-smoking areas	1.33 \pm 0.82	1.32 \pm 0.61	1.49 \pm 0.60	1.14 (.322)
Perceived importance of smoking cessation programs of a community health center (range 1~4)	Smoking cessation clinic	3.73 \pm 0.46	3.29 \pm 0.65	3.32 \pm 0.51	3.82 (.025) b < a, c < a
	Smoking cessation outreach	3.40 \pm 0.63	3.20 \pm 0.72	3.25 \pm 0.58	0.59 (.556)
	Education for smoking cessation	3.67 \pm 0.49	3.21 \pm 0.68	3.32 \pm 0.47	3.70 (.027) b < a, c < a
	No-smoking campaigns	3.60 \pm 0.51	3.25 \pm 0.55	3.39 \pm 0.70	2.10 (.127)
	Designation and management of no-smoking areas	3.80 \pm 0.41	3.25 \pm 0.74	3.36 \pm 0.71	3.64 (.029) b < a, c < a

- = Not available; D district = Dongdaemun-gu, Seoul; M = Mean; SD = Standard deviation.

[†]Post-hoc test.

^{††}Value for chi-squared test.

Supplementary Table 2. Detail Characteristics of Smoking Prevention and Cessation according to an Organizational Type in G District

Characteristics	Survey items	Health welfare organization ^a (n = 15)	Healthcare facility ^b (n = 38)	Pharmacy ^c (n = 33)	F/ χ^2 (ρ) [†]
		M \pm SD or n (%)	M \pm SD or n (%)	M \pm SD or n (%)	
Anti-smoking climate (Range 1~4)	Tend not to allow smoking internal meetings	3.27 \pm 0.80	3.63 \pm 0.54	3.58 \pm 0.56	2.06 (.135)
	Tend to be wary of colleagues' smoking behaviors	2.13 \pm 0.64	3.26 \pm 0.86	3.18 \pm 0.81	11.44 (< .001) a < b, a < c
	Have a no-smoking atmosphere	3.27 \pm 0.70	3.42 \pm 0.68	3.67 \pm 0.48	2.58 (.082)
	Tend to believe that no-smoking is important for activities with other organizations	3.07 \pm 0.88	3.42 \pm 0.72	3.61 \pm 0.66	2.83 (.065)
Smoke-free environment (Yes or No)	Have a penalty for smokers	-	7 (18.4)	-	9.63 ^{††} (.008)
	Not allow smoking inside the building	14 (93.3)	37 (97.4)	32 (97.0)	0.55 ^{††} (.758)
	Post a no-smoking poster	11 (73.3)	33 (86.8)	18 (54.5)	9.17 ^{††} (.010)
	Participate in no-smoking campaign	12 (80.0)	33 (86.3)	25 (75.8)	1.46 ^{††} (.483)
Awareness of smoking cessation programs of a community health center (range 0~2)	Smoking cessation clinic	1.53 \pm 0.64	1.45 \pm 0.50	1.24 \pm 0.56	1.89 (.157)
	Smoking cessation outreach	1.33 \pm 0.72	0.68 \pm 0.74	0.58 \pm 0.71	5.97 (.004) b < a, c < a
	Education for smoking cessation	1.13 \pm 0.74	1.00 \pm 0.81	0.85 \pm 0.62	0.87 (.424)
	No-smoking campaigns	1.33 \pm 0.72	1.32 \pm 0.7	1.09 \pm 0.68	1.11 (.334)
	Designation and management of no-smoking areas	1.20 \pm 0.68	1.32 \pm 0.74	0.88 \pm 0.82	2.99 (.056)
Perceived importance of smoking cessation programs of a community health center (range 1~4)	Smoking cessation clinic	3.93 \pm 0.26	3.63 \pm 0.54	3.52 \pm 0.51	3.75 (.028) b < a, c < a
	Smoking cessation outreach	3.67 \pm 0.49	3.42 \pm 0.55	3.33 \pm 0.65	1.71 (.187)
	Education for smoking cessation	3.40 \pm 0.63	3.39 \pm 0.55	3.36 \pm 0.60	0.03 (.968)
	No-smoking campaigns	3.40 \pm 0.63	3.42 \pm 0.55	3.36 \pm 0.60	0.09 (.918)
	Designation and management of no-smoking areas	3.47 \pm 0.64	3.63 \pm 0.54	3.30 \pm 0.64	2.68 (.075)

- = Not available; G district = Gwangjin-gu, Seoul; M = Mean; SD = Standard deviation.

[†]Post-hoc test.

^{††}Value for chi-squared test.