

Supplementary Table 1. Differences in Depression according to General Characteristics

(N = 300)

Variables	Categories	M	SD	t or F	p-value	Scheffé or Games-Howell
Age (yr)	19~29 ^a	7.50	5.20	3.31	.038	a > c
	30~39 ^b	6.60	5.57			
	40~49 ^c	5.59	4.99			
Marital status	Single	7.58	5.60	3.61	< .001	
	Married	5.41	4.68			
Religion	No	6.79	5.53	0.88	.378	
	Yes	6.24	4.95			
Education level	High school	6.75	5.13	1.55	.213	
	College	6.76	5.46			
	≥ Graduate school	5.06	4.36			
Chronic disease	No	6.32	5.03	- 1.67	.102 [†]	
	Yes	8.15	6.65			
Occupation	No	6.37	5.42	0.20	.821	
	Yes	6.57	5.30			
	Student	7.06	5.05			
Monthly income (10,000 won)	< 100 ^a	7.23	5.77	3.31	.006	b > d
	100~200 ^b	8.78	6.45			
	200~300 ^c	6.58	5.02			
	300~400 ^d	4.15	3.52			
	400~500 ^e	5.03	4.06			
	≥ 500 ^f	6.16	4.98			
Drinking	Drinking	7.18	4.91	2.98	.052	
	Drinking in the past	5.66	5.82			
	Never drink	7.14	3.88			
Smoking	Smoking ^a	10.35	6.37	7.61	.001	a > b, c
	Smoking in the past ^b	6.00	4.51			
	Never smoke ^c	6.22	5.11			

[†]Welch test (heteroscedasticity test).